

Shanked TASS Tactile range

Stainless Steel Anti-Slip Tactile


BUMPEEZ TACTILE™

Base material - Grade 316 Stainless Steel

25mm diameter

complete with anti-slip resin insert [colour swatch below](#)

Order code : SSSH-BUMPEEZ-25



Thermoplastic Anti-Slip Tactile


BUMPEEZ TACTILE™

Base material - Sustamid Nylon Thermoplastic

25mm diameter

complete with anti-slip resin insert [colour swatch below](#)

Order code : NYSH-BUMPEEZ-25



Stainless Steel Tactile

Circular groove indentation

Base material - Grade 316 Stainless Steel

25mm diameter

Order code : SSSH-CIRCLE-25



Thermoplastic Tactile

Circular groove indentation

Base material - Sustamid Nylon Thermoplastic

25mm diameter - various colours *see below*

Order code : NYSH-CIRCLE-25




Stainless Steel Tactile

Cross Hatch indentation

Base material - Grade 316 Stainless Steel

25mm diameter

Order code : SSSH-CROSS-25




Thermoplastic Tactile

Cross Hatch indentation




Base material - Sustamid Nylon Thermoplastic

25mm diameter - various colours *see below*

Order code : NYSH-CROSS-25



Sustamid Nylon Thermoplastic Base Colours - more available upon request

| Anthracite | Yellow | White |
|---|---|--|
|  |  |  |

BUMPEEZ™ anti-slip resin insert colours

| Anthracite | Grey | Red Brown | Beige | Yellow | White | Neon |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |

Specialist TASS Tactiles

LED Neon BUMPEEZ TACTILE™

Stainless Steel or Systemid Nylon base material (25mm Dia)

Weatherproof polycarbonate LED inserts (approx 50,000 hours lifespan)

Call for further details

